

This PRELIMINARY DESIGN has been prepared using the following information to identify potential hazards:

Client designated column locations	N
Google Earth Images or similar	Y
Underground services drawings	N
Site Visit	N



The drawing is a preliminary design and is based upon the information provided. Lighting levels are shown as a guide only and do not constitute a guarantee. The lighting designer shall be responsible for the design of the lighting system. The lighting designer shall be responsible for the design of the lighting system. The lighting designer shall be responsible for the design of the lighting system.

SCHEDULE OF LUMINAIRES:-

NO	QUANTITY	WATTAGE	WATTAGE PER HOUR	WATTAGE PER HOUR	WATTAGE PER HOUR	WATTAGE PER HOUR
1	1	400 LED	6.0	5.0	35.0	
2	1	400 LED	6.0	5.0	35.0	
3	1	400 LED	6.0	5.0	35.0	
4	1	400 LED	6.0	5.0	35.0	
5	1	400 LED	6.0	5.0	35.0	
6	1	400 LED	6.0	5.0	35.0	

NOTE:- ILLUMINATION VALUES ARE INDICATED WITH DASHES FROM THE 2 AXES. THE VALUES SHOWN ARE IN LUX AT GROUND LEVEL, BASED ON THE FOLLOWING PLAN VALUES:-
 1.00 WATTAGE PER HOUR
 A TOTAL OF 1.00 HAS BEEN INCLUDED IN THE CALCULATION OF THE VALUES SHOWN.

WITIN DEFINED AREA
 THE AVERAGE OF THE VALUES SHOWN IS 10.05 LUX
 THE MINIMUM OF THE VALUES SHOWN IS 3.00 LUX
 THE MAXIMUM OF THE VALUES SHOWN IS 35.00 LUX
 THE UNIFORMITIES ARE :
 MIN / AVE = 0.30 MIN / MAX = 0.09

CU Phosco LIGHTING
 CHARLES HOUSE
 GREAT AMWELL
 WARE
 HERTS
 SG12 9TA
 TEL: (01920) 860600
 FAX: (01920) 860638

DRAWING TITLE :
 SAFFRON WALDEN
 CRICKET CLUB
 CAR PARK
 LIGHTING PROPOSAL

DRAWN : S.M. DATE : 05-OCT-2017

SHEET No. 1 OF 1 SHEETS

SCALE : 1:500 (AT A2)

DRAWING No. : SHT:ISS:SUF:
 LS14243-1-1

Safety Note: This scheme is a PRELIMINARY DESIGN and is based upon the information provided. It is not intended to be used for construction or to identify hazards and risks, e.g. from overhead and underground services, equipment positions or mounting heights, and any necessary revisions should be included to acknowledge these.